

Notice of Allowability

Application No.

10/789,514

Examiner

Lori L. Coletta

Applicant(s)

OANA, ADRIAN

Art Unit

3612

GK

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to Application filed on February 27, 2004.
2. ☒ The allowed claim(s) is/are 1-7.
3. ☒ The drawings filed on 27 February 2004 are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).
 - * Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.

THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date _____.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 02272004
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____.
7. ☒ Examiner's Amendment/Comment
8. ☐ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____.

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Laura C. Hargitt on August 18, 2004.

The application has been amended as follows:

The last line of page 5, "horizontal pivot axis" has been changed to
--horizontal pivot axis 58--.

2. The following is an examiner's statement of reasons for allowance:

The recitations of the specific features of the adjustable instrument panel and floor console in claim 1 including especially the construction of the pivotable unitary portion having an option stack and floor console pivotable with respect to the fixed portion and adjustably between the fixed portion and a floor of the vehicle is not taught nor is fairly suggested by the prior art of record.

The recitations of the specific features of the adjustable instrument panel in claim 3 including especially the construction of the central stack modular structure forms a sufficient slip plane gap with respect to the inboard side edges of the fixed panel portions when the central stack modular is pivoted so that the gap between each inboard side edge and the central stack modular structure after the unitary structure has pivoted is sufficiently constant to aesthetically

Art Unit: 3612

accommodate the floor build variations in vehicle being assembled is not taught nor is fairly suggested by the prior art of record.

The recitations of the specific features of the method of adjusting an instrument panel and a floor console with respect to a vehicle floor to accommodate floor build variations in vehicle assembly in claim 7 including especially the construction of the sufficiently pivoting the one portion with respect to the vehicle floor to accommodate any variations between instrument panel and the floor of the vehicle during assembly is not taught nor is fairly suggested by the prior art of record.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Lori L. Coletta whose telephone number is (703) 306-4614. The examiner can normally be reached on Monday-Friday 6:00am-2:30pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Glenn Dayoan can be reached on (703) 308-3102. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Art Unit: 3612

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Lori L. Coletta

Lori L. Coletta
Primary Examiner
Art Unit 3612

llc
August 19, 2004